



HD PRO COLLECTION

YOUR GUIDE TO BRITE DECKING HD PRO COLLECTION





Why BRITE DECKING

For over 20 years, Brite Decking has set the standard for eco-friendly, low maintenance alternatives to wood decking. Available in a range of stunning colours and textures, our composite materials have been engineered and certified to withstand the high UV, heat and harshness of the Australian sun.

Brite Composites provide all the benefits of traditional wood and none of the hassles, no rot, no termites and no need for oiling or painting - all backed by an industry-leading warranty. Our products are crafted from high-grade recycled plastics and reclaimed wood, making Brite Composite Solutions the smart and sustainable choice for your outdoor living space.

FREQUENTLY ASKED QUESTIONS

WHY COMPOSITE DECKING?

The two biggest challenges for any deck is structural integrity and the ability to withstand the elements. Brite Decking is a mixture of recycled wood fibre and polymers. This makes a product which is durable, long lasting, maintenance-free and which has the warm look and feel of timber. It is a combination of the best features of both wood and polymer.

WHERE CAN I USE BRITE COMPOSITE DECKING?

Brite Composite Decking have been tested and certified by Australia's leading building agencies and are a perfect choice for any residential or commercial property.

Brite Decking has a textured surface and a P5 slip rating. It's not affected by salt or the sea air and it's perfect for marinas, boardwalks, jetties, swimming pools and spas. With its unique, hidden fastener system, Brite Decking is flexible and will not warp with moisture or extreme weather. You can use Brite Decking anywhere you would have previously used timber, subject to local government regulations and necessary approvals. A regular sweep and a wash with cold water and sugar soap is all you need to maintain your deck. Diluted household degreaser can also be used to remove no stubborn stains. There's no oiling, staining, sealing, sanding or painting. Ever.

HOW DO I MAINTAIN BRITE COMPOSITE DECKING?

A regular sweep and a wash with cold water and sugar soap is all you need to maintain your deck. Diluted household degreaser can also be used to remove no stubborn stains. There's no oiling, staining, sealing, sanding or painting. Ever.

High Density DUAL SIDED DECKING



Build your dream deck with Australia's most durable and low-maintenance board. Made from a blend of sustainable wood fibres and recycled plastics, the High Density series features a Double-UV shield and a R11/P5 slip rating, providing unmatched performance under intense heat and wet weather.

The HD Pro has a unique colour on each face and a gorgeous woodgrain finish - simply flip it over to redefine the look and feel of your outdoor living space. Spanning a massive 5.4m in length, each board is crafted with easy living in mind - anti-slip, no rotting, no warping and no need for sealing or painting.

The reversible HD Pro is the most affordable weather resistant material on the market.



- Double Sided Solid board - Versatile Colour choices
- Double UV Protection - extra high resistance to Sun and fading
- Stunning wood grain finishes
- Does not absorb heat, easy to walk on
- Easy to install, simple to maintain
- In-built fade resistance



MERBAU x SPOTTED GUM



ANTIQUE 2 x SMOKE WHITE




SLATE GREY x LIGHT GREY


HD Pro
**COLOUR
RANGE**

Board SPECIFICATION

	DIMENSION IN MM	LENGTH IN M	BOARDER PER 10 SQM	MAX COMMERCIAL JOIST IN MM	MAX RESIDENTIAL JOIST IN MM	SLIP RATING	FIRE RATING	BULLNOSE	FASCIA
HD PRO	138 x 23	5.4	14	400	450	P5/R11	N/A	138mm x 23mm x 5.4m	138mm x 15mm x 2.7m



1



Place BriteDeck Starter Clip on the edge of every joist

2



Place the first composite deck board and insert the decking clips

3



Secure and screw each clips, working on each row and towards the edge of your property

4



For boards over 4m long, place Anti-Creep Clip at the centre joist - 1 every joist

5



To install a breaker board, place the dual deck/breaker clip on either side of every 4th board perpendicular to the breaker board. This will create a firm hold

6



Finish your deck with matching Fascia boards. Face-fit directly into the joist, never directly into the deck board

QUICK GUIDE TO INSTALLATION

INSTALLATION PROCESS

BEFORE INSTALLING


Please consult and comply with local building codes and special requirements or restrictions when undertaking an outdoor decking installation. Please consult a structural engineer before placing significant loading such as a pool spa on your deck.

INSTALLATION GUIDE

A comprehensive installation guide will be sent to you via email once your order has been placed. This document covers all aspects of designing and installing your deck, including common layouts, joist span, clearance requirements and an expansion and contraction table. It is important to read and understand the guidelines in their entirety before starting the project.

TOOLS

Thousands of Aussie DIY'ers can attest to how quick and easy BriteDeck is to install. Our concealed fastening system makes installing up to 70% faster than timber, saving you time and money. Standard woodworking tools (drills, saws, sanders, tape measure, level, cordless screwdriver with bits, countersink bit, etc.) and self-protective equipment are all you need to get started. All fixtures you require for wood or metal frames will be supplied free of charge.



SCAN TO WATCH BRITE DECKING
INSTALLATION GUIDE VIDEO





HEAD OFFICE:
BRITEDECKING (PTY) LTD)

U6-7/81 GOV MACQUARIE DR,
CHIPPING NORTON NSW 2170
ABN: 68 617 566 837
EMAIL: SALES@BRITEDECKING.COM.AU

DISTRIBUTION POINTS:



SOUTH PACIFIC THATCHING COMPANY PTY LTD
FIJI ISLANDS

BUILDING A, LOT 3, KABANI ROAD, LEGALEGA INDUSTRIAL
SUBDIVISION, WAIMALIKA, NADI, FIJI ISLANDS

PHONE: (679) 9181 895

